

### Part 2. Contents of the Operator application

#	Торіс	Specific ICAO reference	CAAM guidance/ reference	Operator compliance description	Inspector disposition/ comments	Follow-up by inspector (optional)
		(ICAO Doc 9613, Volume II, Part C, Chapter 7)	(CAD/CAGM , etc.)	(Document reference/ method	(Accepted/not accepted)	(Status and date)
1	Authorization request					
	Statement of intent to obtain authorization.					
2	Aircraft/navigation system eligibility	7.3.2.2 7.3.2.3.1				
	Documents that establish eligibility.					
3	Training	7.3.2.3.2				
	Details of courses completed (part 91 operators).	7.3.5				
	Details of training programmes (part 121 and part 135 operators).					
4	Operating policies and procedures	7.3.2.3.3				
	Extracts from the operations manual or other documentation (Part 91 operators).					
	Operations manual and checklists (part 121 and part 135 operators.					
5	Maintenance practices	7.3.2.3.5				
	Document navigation database maintenance practices.	7.3.6				
6	MEL update	7.3.2.3.4				



### Part 3. Operating procedures

#	Topic	Specific ICAO reference	CAAM guidance/ reference	Operator compliance description	Inspector disposition/ comments	Follow-up by inspector (optional)
		(ICAO Doc 9613, Volume II, Part C, Chapter 7)	(CAD/CAG M, etc.)	(Document reference/ method	(Accepted/not accepted)	(Status and date)
1	Flight planning					
1a	Verify that the aircraft and crew are approved for RNP 0.3 operations.	7.3.4.1				
1b	Verify RAIM and/or	7.3.4.3				
	SBAS availability.	7.3.4.4.3				
1c	Verify that the navigation database is current.	7.3.4.2				
1d	Verify the FPL:	7.3.4.2				
	"R" should appear in field 10 and PBN/TBD in field 18.					
2	General operating procedures					
2a	Comply with the manufacturer's instructions/procedures.	7.3.4.4.1				
2b	Advise ATC if unable to meet the requirements for RNP 0.3.	7.3.4.4.2				
2c	Verify aircraft position and entry of assigned route.	7.3.4.4.4				
2d	Retrieve SID/STAR/APP from the database; retrieve ATS route from database or construct route with waypoints from database	7.3.4.4.5				



2e	Cross-check the chart with the RNAV system display.	7.3.4.4.6		
2f	Follow route centre line within 0.15 NM	7.3.4.4.8		
2g	Do not modify the flight plan in the RNAV system after ATC heading assignment until a clearance is received to re-join the route or a new clearance is confirmed.	7.3.4.4.9		
2h	Do not select bank limiting functions.	7.3.4.4.10		
2i	If manual selection, set RNP 0.3 for all loaded RNP 0.3 routes.	7.3.4.5		
3	RNP 0.3 SID requirements			
За	Prior to take-off, check the RNAV system, the aerodrome and procedure loaded and the displayed position.	7.3.4.6.1		
3b	If GNSS, signal must be acquired before start of take-off roll.	7.3.4.6.2		
3c	Engage FGS before first waypoint.	7.3.4.6.3		
4	RNP 0.3 STAR requirements			
4a	Verify that the correct STAR is loaded and displayed.	7.3.4.7.1		
4b	Manual entry of waypoints not authorized.	7.3.4.7.2		
4c	Contingency preparations.	7.3.4.7.3		
4d	Procedure modifications in response to ATC instructions.	7.3.4.7.4		



CAAM/BOP/PBN/RNP 0.3/001

4e	Verify the correct operation of the navigation system and that the correct procedure, transition and runway are loaded.	7.3.4.7.5				
----	---	-----------	--	--	--	--

### Part 4. Contingency procedures

#	Topic	Specific ICAO reference	CAAM guidance/ reference	Operator compliance description	Inspector disposition/ comments	Follow-up by inspector (optional)
		(ICAO Doc 9613, Volume II, Part C, Chapter 7) *	(CAD/CAGM, etc.)	(Document reference/ method	(Accepted/not accepted)	(Status and date)
1	Contingencies					
1a	Advise ATC if unable to comply with the requirements for RNP 0.3.	7.3.4.8				
1b	Air-ground communications failure.	7.3.4.8 (Doc 4444 Chapter 15, 15.3)				

<sup>\*</sup> All references are to the PBN manual (ICAO Doc 9613), Volume II, Part C, Chapter 7, unless otherwise indicated.