

TEL : 6-03-8529 1318
FAX : 6-03-8529 1310
Email : ais@caam.gov.my
Web : aip.caam.gov.my

MALAYSIA
CIVIL AVIATION AUTHORITY OF MALAYSIA
AERONAUTICAL INFORMATION SERVICES
LEVEL 2, WEST WING TERMINAL NORTH
JALAN CTA 3
KUALA LUMPUR INTERNATIONAL AIRPORT
64000 KLIA, SEPANG
SELANGOR DARUL EHSAN

AIRAC AIP
36/2024

Effective from 11 JUL 2024
to 03 OCT 2024
Published on 30 MAY 2024

SUBANG / SULTAN ABDUL AZIZ SHAH AERODROME (WMSA)
ESTABLISHMENT NEW CONFIGURATION OF AIRCRAFT PARKING AT MAIN APRON

1 INTRODUCTION

- 1.1 This AIRAC AIP Supplement is to notify the changes concerning Subang Aerodrome (WMSA) on the establishment of a new configuration aircraft parking on the main apron effective from 11th July 2024 until 03rd October 2024.

WMSA AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATION/POSITIONS DATA
(NEW AND ADDITIONAL)

1	Apron surface and strength (New)	BAY 1, BAY 2, BAY 3, BAY 4, BAY 11, BAY 12, BAY 13 and BAY 14 Surface : Interlocking Brick Strength : PCN 13 / F / B / X / T BAY 5, BAY 6, BAY 7, BAY 8, BAY 9 and BAY 10 Surface : Interlocking Brick Strength : PCN 52 / F / B / X / T
2	Taxiway width, surface and strength (Additional)	Aircraft Stand Taxilane N1 Width : 21 M Surface : Concrete (Rigid) Strength : PCN 80 / R / B / W / T Aircraft Stand Taxilane P1 Width : 18 M Surface : Concrete (Rigid) Strength : PCN 62 / R / B / W / T
6	Remarks (New)	The new bay numbers (Bay 1 until Bay 14) will replace the existing bays (Bay 29 until Bay 38)

WMSA AD 2.20 LOCAL AERODROME REGULATIONS (ADDITIONAL)

2.20.8 Arriving Aircraft Parking Arrangement

- 2.20.8.1 Aircraft Stand Taxilane P1 from Bay 1 until Bay 4, Bay 13 and Bay 14 is restricted for aircraft wing span 28 M and below.
- 2.20.8.2 Aircraft Stand Taxilane N1 from Bay 11 until Bay 12 is restricted for aircraft wing span 28 M and below.

2. Refer charts below for additional information.
 - i. APPENDIX A1: Aerodrome/Heliport Chart-ICAO
 - ii. APPENDIX A2: Aircraft Parking/Docking Chart-ICAO
 - iii. APPENDIX A3: Aerodrome Ground Movement Chart-ICAO

3 VALIDITY

- 3.1 This AIRAC AIP Supplement will remain in force until 3rd October 2024. Any updates, changes and cancellation of this AIRAC AIP Supplement will be notified by NOTAM.

- END -

AERODROME/HELIPORT
CHART - ICAO

03° 07' 56" N
101° 33' 01" E
ELEV 27 M


ACD 120.45
SMC 121.9
TWR 118.2
APP 124.2, 118.65,
135.25
FIS 126.1
ATIS 127.6

SUBANG/SULTAN
ABDUL AZIZ SHAH AIRPORT

RWY	DIRECTION	THR	BEARING STRENGTH
15	150°	03° 08' 43.29" N 101° 32' 26.75" E	PCN 87/F/B/W/T ASPHALT
33	330°	03° 06' 57.19" N 101° 33' 28.91" E	



ANNUAL RATE OF CHANGE -0° 1' 18" W
ELEVATIONS AND DIMENSIONS
IN METRES
BEARINGS ARE MAGNETIC



CHANGES: ADD INFO AIRCRAFT STAND TAXILANE N1 & P1

AERODROME GROUND
MOVEMENT CHART - ICAO

APRON ELEV
17 M

ACD 120.45
SMC 121.9
TWR 118.2
APP 124.2, 118.65,
135.25
FIS 126.1
ATIS 127.6

SUBANG/SULTAN
ABDUL AZIZ SHAH AIRPORT

