	CIVIL AVIATION AUTHORITY OF MALAYSIA FLIGHT OPERATIONS DIVISION FLIGHT CREW LICENSING	CAAM/BOP/FCL/10-H-ST/BT
	APPLICATION & REPORT FORM SINGLE PILOT & MULTI-CREW OPERATIONS (HELICOPTER)	SKILL TEST / ENDORSEMENT

Licence No: SPL / PPL / CPL / ATPL:

A: APPLICANTS DETAILS – to be completed by the applicant

Name			
Resident Address:		Date of Birth: (dd/mm/yy)	
Pilot Grand Total Hours:		Phone No.:	
Pilot Night Total Hours:	<i>(CPL & ATPL Skill Test Only)</i>	Medical Class:	
Organisation:		Medical Expiry:	
Aircraft type /Variant:		Type of Operations	<input type="checkbox"/> SP/SE <input type="checkbox"/> SP/ME <input type="checkbox"/> MP/ME
Applicant's Signature:		Date: (dd/mm/yy)	

B: TEST DETAILS – to be completed by the examiner

Skill Test	<input type="checkbox"/> PPL	<input type="checkbox"/> Initial Type Rating	
	<input type="checkbox"/> CPL	<input type="checkbox"/> Instrument Rating Test	
	<input type="checkbox"/> ATPL	<input type="checkbox"/> Renewal After Expiry	
Details of Test:	<input type="checkbox"/> P1 <input type="checkbox"/> P2	<input type="checkbox"/> FSTD <input type="checkbox"/> Helicopter	
Date of Test: (dd/mm/yy)		FSTD ID / Helicopter Reg:	
Type of Helicopter:		Organisation Name:	
Departure Airport:		Block Off / Sim Start Time:	UTC
Arrival Airport:		Block On / Sim End Time:	UTC
Results:	<input type="checkbox"/> Pass <input type="checkbox"/> Partial Pass (see page 5) <input type="checkbox"/> Fail (see page 5)	Flight Time / Sim Time:	

I confirm that the test has been carried out in full compliance with the provisions of CAD 1 – PEL.


Examiner Name:		DFE Licence No.:	
Examiner Signature:		Date: (dd/mm/yy)	

C: ENDORSEMENT DETAILS – to be completed by the examiner upon satisfactory completion of Endorsement. (If applicable)

<input type="checkbox"/> Endorsement			
Details of Endorsement	<input type="checkbox"/> P1 <input type="checkbox"/> P2	<input type="checkbox"/> FSTD <input type="checkbox"/> Helicopter	
Date: (dd/mm/yy)		FSTD ID / Helicopter Reg:	
Type of Helicopter:		Organisation Name:	
Departure Airport:		Block Off / Sim Start Time:	UTC
Arrival Airport:		Block On / Sim End Time:	UTC
		Flight Time / Sim Time:	
		Total Take-offs and Landings:	

I confirm that the endorsement has been carried out in full compliance with the provisions of CAD 1 – PEL.

Examiner Name:		DFE Licence No.:	
Examiner Signature:		Date: (dd/mm/yy)	

	CIVIL AVIATION AUTHORITY OF MALAYSIA FLIGHT OPERATIONS DIVISION FLIGHT CREW LICENSING	CAAM/BOP/FCL/10-H-ST/BT
	APPLICATION & REPORT FORM SINGLE PILOT & MULTI-CREW OPERATIONS (HELICOPTER)	SKILL TEST / ENDORSEMENT

Licence No: SPL / PPL / CPL / ATPL:

D: THEORETICAL KNOWLEDGE – to be completed by the ATO (if applicable)					
Training Course:	<input type="checkbox"/> PPL <input type="checkbox"/> CPL <input type="checkbox"/> ATPL <input type="checkbox"/> Type Rating <input type="checkbox"/> Differences. <input type="checkbox"/> Instrument Rating				
Name of Organisation:					
Ground Hours:		Marks %:		Course Duration:	To
HOT/CGI: <i>Name, signature and stamp</i>				Date: (dd/mm/yy)	

E: ORAL EXAMINATION – to be completed by the examiner. Refer to CAD 1006 para 6.1.3. Examiners to assess at least three (3) subjects on applicant.			
Results:	<input type="checkbox"/> Pass <input type="checkbox"/> Fail		
Subjects:	1.		
	2.		
	3.		
	4.		
	5.		
Examiner Name:		DFE Licence No.:	
Examiner Signature:		Date: (dd/mm/yy)	

At the discretion of the examiner, any manoeuvre or procedure of the test may be repeated once by the applicant. The examiner may stop the test at any stage if it is considered that the applicant's demonstration of flying skill requires a complete re-test.

F: TEST / TRAINING ITEM		Instructors signature and date when training completed		Examiner to tick in the appropriate box and signature and date at the end of each section			
				Mandatory Items	PASS	FAIL	N/A
Section 1. Pre-flight Preparation and Checks		FSTD	Aircraft				
1.1	Helicopter knowledge (e.g. technical log, fuel, mass and balance, performance), flight planning, documentation, NOTAMS, weather			M			
1.2	Pre-flight inspection/action, location of parts and purpose			M			
1.3	Cockpit inspection			M			
1.4	Starting procedures, radio and navigation equipment checks, selection and setting of navigation and communication frequencies			M			
1.5	Taxiing/ air taxiing in compliance with air traffic control instructions or with instructions of an instructor			M			
1.6	Pre-take-off procedure, ATC liaison-compliance, R/T procedure			M			
Examiner Signature & Date:							



**CIVIL AVIATION AUTHORITY OF MALAYSIA
FLIGHT OPERATIONS DIVISION
FLIGHT CREW LICENSING**

**APPLICATION & REPORT FORM SINGLE PILOT &
MULTI-CREW OPERATIONS (HELICOPTER)**

CAAM/BOP/FCL/10-H-ST/BT

SKILL TEST /
ENDORSEMENT

Licence No:

Section 2. Flight Manoeuvres and Procedures		FSTD	Aircraft	Mandatory Items	PASS	FAIL	N/A
2.1	Take-offs (various profiles)			M			
2.2	Sloping ground or crosswind take-off and landing						
2.3	Take-off at maximum take-off mass (actual or simulated maximum take-off mass)						
2.4	Take-off with simulated engine failure shortly before reaching TDP or DPATO (MEH only)			M			
2.4.1	Take-off with simulated engine failure shortly after reaching TDP or DPATO (MEH only)			M			
2.4.2	Take-off with simulated engine failure						
2.5	Climbing and descending turns to specified headings			M			
2.5.1	Turns with 30 bank, 180 to 360 left and right, by sole reference to instruments (MEH only)			M			
2.6	Autorotative descent			M			
2.6.1	Autorotative landing (SEH only) or power recovery (MEH only)			M			
2.7	Landings (various profiles)			M			
2.7.1	Go-around or landing following simulated engine failure before LDP or DPBL (MEH only)			M			
2.7.2	Landing following simulated engine failure after LDP or DPBL (MEH only)			M			
2.8	ATC liaison – Compliance, R/T procedures						

Examiner Signature & Date:

Section 3. Normal and Abnormal Operations
(a mandatory minimum of 3 items shall be selected from this section for skill test)

3.1	Engine						
3.2	Air conditioning (heating, ventilation)						
3.3	Pitot / Static system						
3.4	Fuel system						
3.5	Electrical system						
3.6	Hydraulic system						
3.7	Flight control and Trim system						
3.8	Anti-icing and de-icing system						
3.9	Autopilot / Flight director						
3.10	Stability augmentation devices						
3.11	Weather radar, radio altimeter, transponder						
3.12	Area Navigation System						
3.13	Landing gear system						
3.14	Auxiliary power unit						
3.15	Radio, navigation equipment, instrument flight management system						

Examiner Signature & Date:



**CIVIL AVIATION AUTHORITY OF MALAYSIA
FLIGHT OPERATIONS DIVISION
FLIGHT CREW LICENSING**

**APPLICATION & REPORT FORM SINGLE PILOT &
MULTI-CREW OPERATIONS (HELICOPTER)**

CAAM/BOP/FCL/10-H-ST/BT

SKILL TEST /
ENDORSEMENT

Licence No:

Section 4. Abnormal and Emergency (a mandatory minimum of 3 items shall be selected from this section for skill test)		FSTD	Aircraft	Mandatory Items	PASS	FAIL	N/A
4.1	Fire drills (including evacuation if applicable)						
4.2	Smoke control and removal						
4.3	Engine failures, shutdown and restart at a safe height						
4.4	Fuel dumping (simulated)						
4.5	Tail rotor control failure (if applicable)						
4.5.1	Tail rotor loss (if applicable)						
4.6	Incapacitation of crew member – MPH only						
4.7	Transmission malfunctions						
4.8	Other emergencies procedures as outlined in the appropriate Aircraft Flight Manual (AFM)						

Examiner Signature & Date:

Section 5. Instrument Flight Procedures
(to be performed in IMC or simulated IMC)

5.1*	Instrument take-off: transition to instrument flight is required as soon as possible after becoming airborne						
5.1.1*	Simulated engine failure during departure			M			
5.2*	Adherence to departure and arrival routes and ATC instruction			M			
5.3*	Holding procedures						
5.4*	3D operations to DH/A of 200 feet (60m) or to higher minima if required by the approach procedure						
5.4.1*	Manually, without flight director. Note: According to the AFM, RNP APCH procedures may require the use of autopilot or Flight Director. The procedure to be flown manually shall be chosen taken into account such limitation (example choose an ILS for 5.4.1 in case of such AFM limitation)			M			
5.4.2*	Manually, with Flight Director			M			
5.4.3*	With coupled autopilot						
5.4.4*	Manually, with simulated one engine inoperative; engine failure has to be simulated during final approach before passing 1000 feet above aerodrome level until touchdown or until completion of the missed approach procedure			M			
5.5*	2D operations down to the minimum descent altitude MDA/H			M			
5.6*	Go-around with all engines operating on reaching DA/DH or MDA/MDH						
5.6.1	Other missed approach procedures						
5.6.2	Go-around with simulated one engine inoperative on reaching DA/DH or MDA/MDH			M			
5.7	IMC autorotation with power recovery			M (FSTD)			
5.8	Recovery from unusual attitudes			M (FSTD)			

Examiner Signature & Date:



**CIVIL AVIATION AUTHORITY OF MALAYSIA
FLIGHT OPERATIONS DIVISION
FLIGHT CREW LICENSING**

**APPLICATION & REPORT FORM SINGLE PILOT &
MULTI-CREW OPERATIONS (HELICOPTER)**

CAAM/BOP/FCL/10-H-ST/BT

SKILL TEST /
ENDORSEMENT

Licence No: SPL / PPL / CPL / ATPL:

Section 6. Use of Special Equipment		FSTD	Aircraft	Mandatory Items	PASS	FAIL	N/A
6	Use of special equipment						
Examiner Signature & Date:							
Section 7. Endorsement – By Day in Aircraft in Flight							
7.1	Normal circuit and landing with autopilot but without flight director						
7.2	OEI operations/EFATO – Reject and continue						
7.3	Normal circuit with full automation						
Examiner Signature & Date:							



**CIVIL AVIATION AUTHORITY OF MALAYSIA
FLIGHT OPERATIONS DIVISION
FLIGHT CREW LICENSING**

**APPLICATION & REPORT FORM SINGLE PILOT &
MULTI-CREW OPERATIONS (HELICOPTER)**

CAAM/BOP/FCL/10-H-ST/BT


SKILL TEST /
ENDORSEMENT

Licence No: SPL / PPL / CPL / ATPL:

To be completed by examiner if test is partial pass/fail:

Details of Failed Item(s):	
Signature of Applicant	Signature of Examiner

FOR CAAM USE ONLY		
Examiner Authority Checked : <div style="display: flex; justify-content: center; gap: 20px;"> <input type="checkbox"/> SATISFACTORY <input type="checkbox"/> UNSATISFACTORY </div>	Application Fee:	
Remarks :	Receipt No:	
FOI Signature :	Cheque / P.O:	
Date :	Initial:	
	Date:	


	CIVIL AVIATION AUTHORITY OF MALAYSIA FLIGHT OPERATIONS DIVISION FLIGHT CREW LICENSING	CAAM/BOP/FCL/10-H-ST/BT
	APPLICATION & REPORT FORM SINGLE PILOT & MULTI-CREW OPERATIONS (HELICOPTER)	SKILL TEST / ENDORSEMENT

Licence No: SPL / PPL / CPL / ATPL:

NOTE:

1. The application is to be filled out by typing or writing clearly in capital letters.
 - (A) The applicant shall complete (A).
 - (B) The examiner shall complete (B)
 - (C) The examiner shall complete (C) if endorsement was conducted.
 - (D) The ATO shall complete theoretical knowledge details for the training course. The course duration begins on the date of the first examination paper and ends on the date of the last completed examination.
 - (E) The examiner shall complete (E). The examiner shall also list down the subjects that were examined.
e.g. Instruments – Altimeter error, pitot static probes, gyroscope Meteorology – Typhoons, cloud formation, cold weather operations.
 - (F) Test/training items are to be completed by the instructor and examiner. The instructor shall enter the practical training columns with his signature and date when training is completed. During the skill test, the examiner would tick in the appropriate box, and enter his signature and date at the end of each section.
2. The last page of the form is filled if the applicant has obtained a partial pass or fail on the test. The examiner shall indicate the reasons why the applicant has failed (the narrative should be factual and succinct), and the applicant shall then sign the column below in agreement of the result.
3. For applicants with a partial pass, the examiner shall keep this form with him after the test and will hand over this form to the next examiner who conducts a subsequent skill test. The new examiner will fill up a new form for the subsequent skill test.
4. The aircraft endorsement shall be completed within 90 days from the date of the successful skill test. If the applicant is unable to complete the endorsement flight within this period, remedial training in the FSTD shall be required prior to conducting the endorsement flight.
5. The starred item (*), in Section 5, shall be flown in actual simulated IMC only by applicants wishing to renew an IR, or extend the privileges of that rating to another type.
6. Instrument flight procedures (Section 5) shall be performed only by applicants wishing to renew an IR or extend the privileges of that rating to another type. An FFS or FTD 2/3 may be used for this purpose.
7. Where letter 'M' appears in the skill test column, this will indicate mandatory exercise.
8. An FSTD shall be used for practical training and testing if the FSTD forms part of a type rating course. The following considerations will be apply to the course:
 - a. the qualification of the FSTD as set out in relevant requirement of CAD 1003 - FSTD;
 - b. the qualification of the instructor and examiner;
 - c. the amount of FSTD training provided on the course;
 - d. the qualifications and previous experience in similar types of the pilot under training; and
 - e. the amount of supervised flying experience provided after the issue of the new type rating.
9. For the IR Skill Test performed on the FSTD and not combined with VFR Skill Test, the examiner shall:
 - a. compile the Section 5 of the Check List, and
 - b. compile the Application and Report Form for only the sections performed, and
 - c. writing a note, in the "Remark" space of the document reporting the date of the skill test and the phrase: "The Skill Test is to be considered effective after the achievement of the VFR Skill Test on the helicopter".
10. Licence number column: slash the licences that are not applicable and fill up the licence number.
11. If an error was made in the pass/fail/NA tick box column, the examiner shall slash the error, tick the correct box and circle that tick and sign on the right side of the form outside the N/A box. *(example below)*

CAAM/BOP/FCL/9-MCA-PPC				
Licence No:	CPL/PPL/ATPL: 2926			
	Mandatory Items	PASS	FAIL	N/A
	✓	✗		R

	<p align="center">CIVIL AVIATION AUTHORITY OF MALAYSIA FLIGHT OPERATIONS DIVISION FLIGHT CREW LICENSING</p> <p align="center">APPLICATION & REPORT FORM SINGLE PILOT & MULTI-CREW OPERATIONS (HELICOPTER)</p>	<p>CAAM/BOP/FCL/10-H-ST/BT</p> <p>SKILL TEST / ENDORSEMENT</p>
-----------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------

Licence No: SPL / PPL / CPL / ATPL:

GENERAL REQUIREMENTS:


1. An applicant for a skill test shall have received instruction on the same type of helicopter to be used in the test.
2. An applicant shall pass all the relevant sections of the skill test. If any item in a section is failed, that section is failed. Failure in more than one section will be assessed as fail and will require the applicant to take the entire test again. An applicant failing only in one section shall be assessed as partial pass and will only repeat the failed section. However, failing only one section of the test may be assessed as a failed test at the discretion of the examiner. Failure in any section of the re-test, including those sections that have been passed on previous attempt, will be assessed as fail and will require the applicant to take the entire test again. All relevant sections of the skill test shall be completed within 6 months. Failure to achieve a pass in all relevant sections of the test in two attempts will require further training.
3. Further training may be required following any failed skill test.

CONDUCT OF TEST:

1. Should the applicant choose to terminate a skill test for reasons considered inadequate by the examiner, the applicant shall retake the entire skill test. If the test is terminated for reasons considered adequate by the examiner, only those sections not completed shall be tested in further flight.
2. At the discretion of examiner, any manoeuvre or procedure of the test may be repeated once by the applicant. The examiner may stop the test at any stage if it is considered that the applicant's demonstration of flying skills requires a complete re-test.
3. An applicant shall be required to fly the aircraft from a position where the PIC functions can be performed and to carry out the test as if no other crew member is present. Responsibility for the flight shall be allocated in accordance with national regulations.
4. An applicant shall indicate to the examiner the checks and duties carried out, including the identifications of radio facilities. Checks shall be completed in accordance with the checklist for the aircraft on which the test is being taken. During pre-flight preparation for the test, the applicant is required to determine power settings and speeds. Performance data for take-off, approach and landing shall be calculated by the applicant in compliance with the operations manual or flight manual for the aircraft used.
5. The examiner shall take no part in the operation of the aircraft except where intervention is necessary in the interest of safety or to avoid unacceptable delay to other traffic.

FLIGHT TEST TOLERANCE:

1. The helicopter used for the skill test shall meet the requirements for training helicopters.
2. The area and route to be flown shall be chosen by the FE and all low level and hover work shall be at an approved aerodrome/site. Routes used for section 3 may end at the aerodrome of departure or at another aerodrome and one destination shall be a controlled aerodrome. The skill test may be conducted in 2 flights. The total duration of the flight(s) shall be at least 90 minutes.
3. The applicant shall demonstrate the ability to:
 - a) operate the helicopter within its limitations;
 - b) complete all manoeuvres with smoothness and accuracy;
 - c) exercise good judgement and airmanship;
 - d) apply aeronautical knowledge; and
 - e) maintain control of the helicopter at all times in such a manner that the successful outcome of a procedure or manoeuvre is never seriously in doubt;

	<p align="center">CIVIL AVIATION AUTHORITY OF MALAYSIA FLIGHT OPERATIONS DIVISION FLIGHT CREW LICENSING</p> <p align="center">APPLICATION & REPORT FORM SINGLE PILOT & MULTI-CREW OPERATIONS (HELICOPTER)</p>	<p>CAAM/BOP/FCL/10-H-ST/BT</p> <p>SKILL TEST / ENDORSEMENT</p>
-----------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------

Licence No: SPL / PPL / CPL / ATPL:

4. The following limits are for general guidance. The examiner shall make allowance for turbulence conditions and the handling qualities and performance of the type of helicopter used:

Profile	PPL Skill Test	CPL Skill Test	IR Skill Test & all other Rating Issues and Renewals
Altitude			
Normal Flight	± 150 ft	± 100 ft	± 100 ft
With simulated major emergency	± 200 ft	± 150 ft	± 100 ft
Hovering IGE	± 2 ft	± 2 ft	± 2 ft
Limited or partial panel		± 200 ft	± 200 ft
Starting go-around at decision alt/ht			+ 50 ft / - 0 ft
Minimum descent altitude / height			+ 50 ft / - 0 ft
<i>'Not below' minima (from FAF altitude down to MDA/H)</i>			- 0 ft
<i>Circling minima</i>			+ 100 ft / - 0 ft
Tracking			
At all times when using a single-needle display	± 10°	± 10°	± 5°
At all times when using a deviation bar display	Full Scale Deflection	Full Scale Deflection	Half Scale Deflection Azimuth and Flight Path (Precision Approach)
			± 1 nm
DME arcing			
Heading			
Normal flight	± 10°	± 10°	± 5°
With simulated major emergency	± 15°	± 15°	± 10°
<i>Limited or Partial panel</i>		± 15°	± 15°
Speed			
Take-off and approach	+ 15 / - 10 kt		± 5 kt
Take-off and approach multi-engine		± 5 kt	± 5 kt
All other flight regimes	± 15 kt	± 10 kt	± 10 kt
<i>Limited or Partial Panel</i>			± 10 kt
With simulated engine failure			+ 10 / - 5 kt
Ground drift			
TO hover IGE	± 3 kt	± 3 ft	± 3 ft
Landing	No sideways or backwards movement		± 2 ft 0 ft rearward or lateral flight

Note 1.- Entries in italics are suggested tolerances.

Note 2.- Where a test is flown for more than one purpose, i.e. licence issue and class rating issue, examiners should be mindful of the less stringent tolerances shown above.